



LONGSHAN
PIPE SOLUTIONS

中国·龙山

江苏龙山管件有限公司
Longshan Pipe Solutions Co.,Ltd.





LONGSHAN
PIPE SOLUTIONS

Content

P01-02 Company Profile
企业简介

P03-05 Enterprise Qualification
企业资质

P06-20 Product Introduction
产品介绍

P21-22 Packaging, Transportation And Delivery Of Products
产品包装、运输、发货

P23-30 Company Equipment Capacity
公司装备能力

P31-32 Table of Chemical Composition and Mechanical Properties of Ordinary Material
常用材料的化学成分、机械性能表

P33 American Standard Steel Tube Wall Thickness Series
美国标准钢管壁厚系列

P34 Enterprise Culture
企业文化

P35 Development Trend Of Internationalization
国际化发展趋势

About us

企业简介 Company Profile

Longshan Pipe Solutions Co., Ltd. is located in the East Suburb Economic Development Zone of Jiangyin City in the "Yangtze River Delta" - the largest steel pipe market in East China and one of the birthplaces of China's chemical pipe fittings. Convenient transportation, only two kilometers away from Jiangyin Yangtze River Bridge.

Longshan Pipe Solutions Co., Ltd. was founded in 1995, is a professional manufacturer of pressure piping components. Enterprise credit rating is AAA. There are 250 formal employees, 5 engineers and 8 assistant engineers. The company has passed the ISO 9001-2008 standard quality system certification, the EU pressure pipeline component certification, the People's Republic of China special equipment manufacturing license and so on.

The company is a first-class market member of Sinopec material resources and a second-class member of China Petroleum Material Network. It is also a qualified supplier of Shanghai Coking, Lanzhou Petrochemical, China Petrochemical Engineering Construction Corporation (SEI), China Chengda Engineering Co., Ltd., China Salding Engineering Co., Ltd., Dow Chemical, EIL, Samsung E&C, SK E&C.

Pipe fittings produced by the company since 1995 are mainly divided into the following categories:

1. Pipe fittings and flanges of various materials in petrochemical industry: 180 degree thick-walled sharp elbows, collecting pipes and elbows are our strengths; In particular, we can manufacture lengthened pipes, change bending angles, reduce customer welding, and can replace imports.
2. Manufacture of high temperature, high pressure, large caliber and thick wall pipe fittings: including boiler and power pipe fittings; high temperature and high pressure alloy steel and stainless steel pipe fittings for chemical industry. Harbin boiler plant, Shanghai Boiler Plant, Wuxi Boiler Plant, Datang Xinyang and other boiler power pipes have been undertaken, and they are also long-term strategic partners.
3. Manufacturing special materials, fittings and flanges and welded pipe,

widely used in high corrosion resistance in the industry. Such as: Hastelloy, Nickel-Based Alloy, Zirconium, Titanium, Copper-Nickel, Duplex Stainless Steel, etc. After years of production practice, the company has a fairly mature manufacturing process, and obtained the patent certificate of "Preparation Method of Ni-Cr-Mo Alloy Steel Pipe Parts". The quality is well received by users and has a good reputation in the industry.

Since 2004, forged flanges and other extended products can be manufactured according to GB, HG, SH, SY, DL, ISO, ANSI/ASME, MSS, JIS, EN, AS and other related standards. They can also be manufactured according to drawings provided by users. They can meet the needs of different industries. The annual production capacity is 50,000 tons. Products are widely used in petroleum, petrochemical, shipping, metallurgy, electricity, food, pharmaceutical, machinery and other industries at home and abroad. In cooperation with well-known foreign engineering companies, they have received a large number of foreign engineering orders and exported to Saudi Arabia, the United Arab Emirates, Germany, France, the United Kingdom, the United States, Canada, Brazil, Iran and other countries.

The company aims to "unite and cooperate to produce pressure pipeline component products meeting customer requirements and applicable standards and specifications", to "brand, quality, service and sales promotion" marketing concept, and to "achieve management innovation, effective operation system, meet customer requirements, fulfill service commitments" as the quality policy. Existing high-quality staff, first-class plant equipment, advanced production technology and testing equipment, modern management mode and complete qualification certificate make Longshan Pipe Solution Co., Ltd. become one of the excellent enterprises with a certain scale and strong production capacity in domestic and foreign industries.



龙山管件有限公司成立于1995年，是压力管道元件的专业制造商。企业资质等级为AAA，目前有正式职工250人，工程师5名，助理工程师8名。公司已通过ISO9001-2008标准质量体系认证，欧盟压力管道元件认证，中华人民共和国特种设备制造许可证等。

公司是中石化物资资源一级市场成员、中国石油物资网2级会员，也是上海焦化，兰州石化，中国石化工程建设公司(SEI)，中国成达工程有限公司，中国赛鼎工程有限公司，Dow Chemical, EIL, SAMSUNG E&C, SK E&C的合格供应商。

公司于1995年开始生产的管件主要分为以下几大类：

1. 石化行业各材质的管件、法兰：180°厚壁急弯弯头以及集合管、弯管是我公司的强项；特别能制造加长管件、改弯角度，减少客户焊接，可以替代进口。
2. 高温高压大口径厚壁管件的制造：包括锅炉、电力管件；化工用高温高压合金钢、不锈钢管件。承接了哈锅、上锅、锡锅、大唐信阳等锅炉电力管件，并且与其也是长期战略合作伙伴。
3. 制造特殊材料的管件与法兰以及有缝焊管，广泛应用于抗腐蚀性要求较高的行业。如：哈氏合金、镍基合金、锆材、钛材、铜镍、双相不锈钢等；该类管件的制造，公司经过多年的生产实践，有一套相当成熟的生产制造工艺，同时取得《Ni-Cr-Mo合金钢管

件制备方法》的专利证书，质量受到用户的好评，在行业内具有良好的声誉。

从2004年开始生产锻制法兰及其他延伸产品可按GB、HG、SH、SY、DL、ISO、ANSI/ASME、MSS、JIS、EN、AS等相关标准生产，也可按用户提供的图纸生产，可满足不同行业的需要，年生产能力为50000吨。产品广泛应用于国内外石油、石化、船舶、冶金、电力、食品、制药、机械等行业，与国外知名工程公司合作，获得大量国外工程订单，并出口到沙特，阿联酋，德国，法国，英国，美国，加拿大，巴西，伊朗等国家。

公司以“团结协作，生产满足顾客要求和适用标准、规范要求的压力管道元件产品”为宗旨，以“品牌、以质量、以服务、促销售”的营销理念；以“实现管理创新，有效运行体系，满足顾客要求，兑现服务承诺”为质量方针。现有高素质员工队伍、一流的厂房设备、先进的生产工艺和检测设备、现代化的管理模式、完备的资格证书，使得江苏龙山管件有限公司将成为国内外行业中具有一定规模、生产能力强的优秀企业之一。

About us

企业资质 Enterprise Introduction



01 中石油天然气物资供应商准入证	PetroChina Natural Gas Supplier Access Certificate
02 中石化入网证	Sinopec Access Certificate
03 中海油入网证	CNOOC Access Certificate
04 KNPC 认证证书	KNPC Certificate
05 福陆	Fluor
06 TSSA 认证证书	TSSA Certificate
07 BHEL 认证证书	BHEL Certificate
08 EIL 认证证书	ELL Certificate
09 韩国 SK 认证证书	South Korea SK Certificate



01 特材管件制造发明专利证书	Special material pipe fittings manufacture patent certificate
02 C-276 弯头型式试验证书	C-276 Elbow Type Test Certificate
03 C-276 三通型式试验证书	C-276 Tee Type Test Certificate
04 双相钢 32750 弯头型式试验证书	32750 Duplex steel Elbow Type Test Certificate
05 双相钢 32750 三通型式试验证书	32750 Duplex steel Tee Type Test Certificate
06 高压临氢 347H 弯头型式试验证书	High pressure hydrogenation 347H Elbow Type Test Certificate
07 高压临氢 347H 三通型式试验证书	High pressure hydrogenation 347H Tee Type Test Certificate
08 WP91 弯头型式试验证书	WP91 Elbow Type Test Certificate
09 WP91 三通型式试验证书	WP91 Elbow Type Test Certificate
10 ABS PDA 型式试验证书-4130	ABS PDA Type Test Certificate-4130

About us

企业资质 Enterprise Qualification



01 江苏龙山三证合一	Longshan Combination of three certificates
02 压力管道元件 - 特种设备制造许可认证	Pressure Pipeline Components-Certification of Manufacturing License for Special Equipment
03 ISO9001 中文	ISO 9001 Chinese
04 ISO9001 英文	ISO 9001 English
05 ISO14001 中文	ISO14001 Chinese
06 ISO14001 英文	ISO14001 English
07 OHSMS 中文	OHSMS Chinese
08 OHSMS 英文	OHSMS English
09 AD2000 英文版证书	AD2000 English Version Certificate
10 PDE 英文版证书	PDE English Version Certificate

产品规格 / PRODUCT SPECIFICATION

无缝管件 Seamless pipe fittings	≤ DN1200 (48")
有缝管件 Welded pipe fittings	≤ DN4400 (176")
特种有色金属无缝管件 Special non-ferrous metal seamless pipe fittings	≤ DN1200 (48")
特种有色金属有缝管件 Special non-ferrous metal welded pipe fittings	≤ DN3000 (120")
锻制法兰 Forging flange	≤ DN2000 (80")
锻制管件 Forged Fittings	≤ DN800 (32")
有缝钢管 Welded steel pipe	≤ DN4400 (176")

材质列表 / MATERIAL LIST

碳钢 Carbon Steel	20#, 20G, WPB, WPC, A210-A, A53
合金钢 Alloy Steel	P11, P12, P22, P5, P9, P91, P92
	12Cr1Mov, 15CrMo, 12Cr2Mo, 1Cr5Mo, 1Cr9Mo
低温合金钢 Cryogenic Alloy Steel	WPL6, WPL3, 16MnD, 09MnNiD
管线钢 Pipeline Steel	X52, X60, X65, X70, X80
不锈钢 Stainless Steel	304, 304H, 304L, 316, 316L, 316H, 316N, 316LN, 316TI
	321, 321H, 347, 347H, 317, 317L, 310S, S31254
双相不锈钢 Duplex Stainless Steel	S31803, S32205 (2205), S32750 (2507), S32760, S31254
特材 Special Material	Zr702, Zr705, Ti-Gr1, Ti-Gr2
	C276, B2, B3, G30, C22
	N02200, N02201
	Monel400, C70600, C71500 Incoloy800/800H/800HT/825, Inconel 600/625, Alloy20

Our Products

高温 / 高压管件 HIGH TEMPERATURE AND HIGH PRESSURE FITTINGS



碳钢
Carbon Steel

20、20G、WPB、WPC

合金钢
Alloy Steel

1Cr5Mo、1Cr9Mo、15CrMo、14Cr1Mo、12Cr1MoV、12Cr2Mo、15NiCuMoNb5-6-4、WP5、WP9、WP11、WP12、WP22、WP36、WP91、WP92、WB36、10CrMo910

不锈钢
Stainless Steel

06Cr19Ni10、07Cr19Ni10、06Cr25Ni20、06Cr17Ni12Mo2、07Cr17Ni12Mo2、06Cr17Ni12Mo2Ti、06Cr18Ni11Ti、07Cr19Ni11Ti、06Cr18Ni11Nb、07Cr19Ni11Nb、304、304H、310S、316、316H、321、321H、347、347H、310MoLN、S31050/25-22-2、S316LMoD、S31603/316L UG

锅炉 / 电力管件 BOILER/POWER FITTING



碳钢
Carbon Steel

20、20G、WPB、WPC

合金钢
Alloy Steel

15CrMo、14Cr1Mo、WP11、12Cr1MoV、12Cr2Mo、WP12、WP22、WP36、WP91、WP92、10CrMo910、F11、F22、F36、F91、F92

Our Products

复合材料管件 COMPOSITE FITTING



不锈钢复合、钛钢复合、铜钢复合、镍钢复合、铝钢复合、其它复合 (根据用户要求定制生产)
Stainless Steel Composite, Titanium Steel Composite, Copper Steel Composite, Nickel Steel Composite, Aluminum Steel Composite And Other Composite (Customized production according to user requirements)

双相钢 \ 超级奥氏体不锈钢管件
DUPLEX STEEL/SUPER AUSTENITIC STAINLESS STEEL FITTING



双相钢
Duplex Steel 022Cr22Ni5Mo3N, 022Cr23Ni5Mo3N, 022Cr25Ni7Mo7N, 022Cr25Ni7WCuN, S31803, S32205, S32750(2507), S32760

超级奥氏体不锈钢
Super Austenitic Stainless Steel 904L, S31254

Our Products

特材管件 SPECIAL MATERIAL FITTING



镍基

Nickel-Based

WPN (NO2200)、WPNL (NO2201)、WPNC (NO4400)、WP20CB(NO6020)、WPNC22 (NO6022)、
WPHG30(NO6030)、WPHG35(NO6035)、WPNCI(NO6600)、WPNCMC (NO6625)、WPNIC(800)、WPNIC10 (800H)、
WPNIC11 (800HT)、WPNICMC (NO8825)、WPHCZ76 (NO10276)、WPHB-2 (NO10665)、WPHB-3 (NO10675)

锆基 Zirconium-Based

R60702、R60704、R60705

钛基 Titanium-Based

WPT1、WPT2、WPT3、WPT7、WPT9、WPT11、WPT12

铜基 Copper-Based

B10、B30、C70600、C70630

铝基 Aluminum-Based

WP5083、WP5086

Our Products

180°急弯弯头、U型弯管、集合管 180° ELBOW,U-TYPE BEND, MANIFOLD



01



01



02



02



03



03



04



05

01 急弯弯头

Elbow

02 ASTM A403-WP347H 急弯弯管、弯管工厂化 Astm A403-Wp321 Elbow, Bend Prefabrication

03 ASTM A234-WP11 U型弯管

Astm A234-Wp11 U-Type Bend

01 双排孔集合管

Double Row Hole Manifold

02 组合集合管

Combined Manifold

03 347H 集合管

347H Manifold

04 N08811 集合管

N08811 Manifold

05 集合管分布器

Manifold Distributor

Our Products

特殊管件 SPECIAL FITTING



01 Y 型三通	Y-Type Tee
02 45°斜三通	45° Lateral Tee
03 法兰式 Y 型三通	Y-Type Tee fabricated with Flange
04 对割三通	Opposite Section Tee
05 双支管 45°斜三通	Double Branch 45° Lateral Tee

采油工程 4130 管件 OIL PRODUCTION ENGINEERING 4130 MATERIAL FITTINGS



01 锻制法兰三通	Forged Flange Tee
02 对焊弯头、三通、大小头、管帽	Butt-Welding Elbow, Tee, Reducer, Cap
03 管道工厂化	Pipeline Prefabrication

Our Products

锻制管件 FORGED FITTING



01 锻制斜三通 (火力发电工程) Forged Lateral Tee (Thermal Power Project)

02 锻制承插、螺纹、对焊管件 Forged Socket, Thread, Butt-Welding Fitting

法兰 FLANGE



01 锻制合金钢法兰 Forged Alloy Steel Flange

02 锻制不锈钢类法兰 Forged Stainless Steel Flange

Our Products

管道工厂化 PIPELINE PREFABRICATION



01 深海采油 API 5L PLS1 X65 管道预制	Deep Sea Oil Production Api 5L PLS1 X65 Pipeline Prefabrication
02 P11、P22 管道预制	P11, P22 Pipeline Prefabrication
03 钛管道预制	Titanium Pipeline Prefabrication
04 317L 管道中试项目	317L Pipeline Pilot Project
05 锆管道预制	Zirconium Pipeline Prefabrication
06 管道有机硅耐高温底漆的喷涂	Spraying Of High Temperature Resistant Silicone Primer For Pipeline
07 大型组合件的预制	Large Components Prefabrication
08 上升、下降管道预制	Ascending And Descending Pipeline Prefabrication

大口径管件 LARGE DIAMETER FITTING



01 ASTM A234-WPBW 2668*22 弯头 (最大规格为: 3861*30)	ASTM A234-WPBW 2668*22 elbow ASTM A234-WPBW 2668*22 tee
02 ASTM A234-WPBW 2668*22 三通 (最大规格为: 4450*30)	

Our Equipment

产品包装运输 PACKAGING AND TRANSPORTATION OF PRODUCTS



01 包装	Packaging
02 大口径三通包装	Packaging Of Large Diameter Tees
03 管件的包装	Packaging Of Fittings
04 大口径弯头的包装	Packaging Of Large Diameter Elbows
05 大口径焊管的包装	Packaging Of Large Diameter Welded Pipes
06 装箱	Packing
07 运输	Transportation

Our Equipment

生产设备 PRODUCTION EQUIPMENT



01 下料锯床	Cutting Sawing Machine
02 数控下料	CNC Cutting
03 数控下料	CNC Cutting
04 线切割	Wire Cutting
05 水切割	Water Cutting
06 剪板机	Shearing Machine



01 焊管生产 - 自动焊机	Production Of Welded Pipes - Automatic Welding Machine
02 大口径焊管的焊接	Welding Of Large Diameter Welded Pipes
03 弯头的埋弧焊	Submerge Arc Welding Of Elbows
04 清洁车间的等离子焊 (半自动)	Plasma Welding In Clean Workshop

Our Equipment

生产设备 PRODUCTION EQUIPMENT




01 弯头的冷推制 (最大口径 DN600)	Cold Pushing Of Elbows (Maximum Diameter Dn600)
02 三通冷挤压 (7500T)	7500T Cold Extrusion Of Tees (7500T)
03 弯头的热压制 (5000T)	(5000T) Hot Pressing Of Elbows (5000T)
04 弯头的中频热推制 (最大口径 DN1200)	Intermediate Frequency Hot Pushing Of Elbows (Maximum Diameter Dn1200)
05 超大平台液压机 (6200x4200x4800)	6200X4200x4800) Super Platform Hydraulic Press Machine (6200X4200x4800)



01 数控镗床	CNC Boring Machine
02 镗床坡口	Groove By Boring Machine
03 模具	Mould
04 芯棒	Mandrel
05 焊材的仓储	Storage Of Welding Consumables

Our Equipment

检验 / 试验装备 INSPECTION/ TESTING EQUIPMENT



- | | |
|----------------|--|
| 01 元素分析-全定量光谱仪 | Element Analysis- all Quantitative Spectrometer |
| 02 元素分析-便携式光谱仪 | Element Analysis-Portable Spectrometer |
| 03 常低温冲击 | Cryogenic Shock Impact Tester |
| 04 力学性能检测-高温拉伸 | Mechanical Property Testing-High Temperature Tensile |



- | | |
|---------------|--|
| 01 超声波测厚仪 | Ultrasonic Thickness Meter |
| 02 硬度计-便携式 | Hardness Tester - Portable |
| 03 硬度机-座式 | Hardness Machine-Seat Type |
| 04 焊管生产-X射线拍片 | Welded Pipe Production-X-ray Photography |
| 05 数字超声波检测仪 | Digital Ultrasound Detector |

Our Equipment

检验 / 试验装备 INSPECTION/ TESTING EQUIPMENT



01



02



03



04

- | | |
|-----------|-----------------------|
| 01 着色渗透检测 | Dye Penetrant Testing |
| 02 铁素体仪 | Ferrite meter |
| 03 现场金相仪 | Metallography |
| 04 卧式金相仪 | Metallography |



01



02



03



- | | |
|-------------|-----------------------------------|
| 01 晶间腐蚀检测 | Intergranular corrosion detection |
| 02 粗糙度仪器 | Roughness Instrument |
| 03 涂层测厚仪 | Coating thickness meter |
| 04 焊接工艺评定试样 | Welding Process Assessment Sample |

美国标准钢管壁厚系列 (ANSI B36.10/B36.19 管壁厚度, mm)

American Standard Steel Tube Wall Thickness Series (ANSI B36.10/B36.19 wall thickness, mm)

公称 直径 DN	英寸 in	外径 mm	SCH 5S	SCH 10S	SCH 10	SCH 20	SCH 30	SCH 40S	STD	SCH 40	SCH 60	SCH 80S	×S	SCH 80	SCH 100	SCH 120	SCH 140	SCH 160	××S
6	1/8	10.29	-	1.24	-	-	-	1.73	1.73	1.73	-	2.41	2.41	2.41	-	-	-	-	-
8	1/4	13.72	-	1.65	-	-	-	1.73	1.73	2.24	-	3.02	3.02	3.02	-	-	-	-	-
10	3/8	17.14	-	1.65	-	-	-	2.31	2.31	2.31	-	3.20	3.20	3.20	-	-	-	-	-
15	1/2	21.34	1.65	2.11	-	-	-	2.77	2.77	2.77	-	3.73	3.73	3.73	-	-	-	-	4.78 7.47
20	3/4	26.67	1.65	2.11	-	-	-	2.87	2.87	2.87	-	3.91	3.91	3.91	-	-	-	-	5.56 7.82
25	1	33.40	1.65	2.77	-	-	-	3.38	3.38	3.38	-	4.55	4.55	4.55	-	-	-	-	6.35 9.09
32	1 1/4	42.16	1.65	2.77	-	-	-	3.56	3.56	3.56	-	4.85	4.85	4.85	-	-	-	-	6.35 9.70
40	1 1/2	48.26	1.65	2.77	-	-	-	3.68	3.68	3.68	-	5.08	5.08	5.08	-	-	-	-	7.14 10.15
50	2	60.32	1.65	2.77	-	-	-	3.91	3.91	3.91	-	5.54	5.54	5.54	-	-	-	-	8.74 11.07
65	2 1/2	73.02	2.11	3.05	-	-	-	5.16	5.16	5.16	-	7.01	7.01	7.01	-	-	-	-	9.53 14.02
80	3	88.90	2.11	3.05	-	-	-	5.49	5.49	5.49	-	7.62	7.62	7.62	-	-	-	-	11.13 15.24
90	3 1/2	101.60	2.11	3.05	-	-	-	5.74	5.74	5.74	-	8.08	8.08	8.08	-	-	-	-	-
100	4	114.30	2.11	3.05	-	-	-	6.02	6.02	6.02	-	8.56	8.56	8.56	-	11.13	-	-	13.49 17.12
125	5	141.30	2.77	3.40	-	-	-	6.55	6.55	6.55	-	9.53	9.53	9.53	-	12.70	-	-	15.88 19.05
150	6	168.28	2.77	3.40	-	-	-	7.11	7.11	7.11	-	10.97	10.97	10.97	-	14.27	-	-	18.26 21.95
200	8	219.08	2.77	3.76	-	6.35	7.04	8.18	8.18	8.18	10.31	12.70	12.70	12.70	15.09	18.26	20.62	23.01	22.23
250	10	273.05	3.40	4.19	-	6.35	7.80	9.27	9.27	9.27	12.70	12.70	12.70	15.09	18.26	21.44	25.40	28.58	25.40
300	12	323.85	3.96	4.57	-	6.35	8.28	9.53	9.53	10.31	14.27	12.70	12.70	17.48	21.44	25.40	28.58	33.32	25.40
350	14	355.60	3.96	4.78	6.35	7.92	9.52	*9.53	9.53	11.13	15.09	12.70	12.70	19.05	23.83	27.79	31.75	35.71	-
400	16	406.40	4.19	4.78	6.35	7.92	9.52	*9.53	9.53	12.70	16.66	12.70	12.70	21.44	26.19	30.96	36.53	40.49	-
450	18	457.20	4.19	4.78	6.35	7.92	11.12	*9.53	9.53	14.27	19.05	12.70	12.70	23.83	29.36	34.93	39.47	45.24	-
500	20	508.00	4.78	5.54	6.35	9.52	12.70	*9.53	9.53	15.09	20.62	12.70	12.70	26.19	32.54	38.10	44.45	50.01	-
550	22	558.80	4.78	5.54	6.35	9.52	12.70	*9.53	9.53	-	22.23	12.70	12.70	28.58	34.93	41.28	47.63	53.98	-
600	24	609.60	5.54	6.35	6.35	9.52	14.27	*9.53	9.53	17.48	24.61	12.70	12.70	30.96	38.89	46.02	52.37	59.54	-
650	26	660.40	-	*7.92	7.92	12.70	-	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
700	28	711.20	-	*7.92	7.92	12.70	15.88	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
750	30	762.00	6.35	*7.92	7.92	12.70	15.88	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
800	32	812.00	-	*7.92	7.92	12.70	15.88	*9.53	9.53	17.48	-	12.70	12.70	-	-	-	-	-	-
850	34	863.60	-	*7.92	7.92	12.70	15.88	*9.53	9.53	17.48	-	12.70	12.70	-	-	-	-	-	-
900	36	914.40	-	*7.92	7.92	12.70	15.88	*9.53	9.53	19.05	-	12.70	12.70	-	-	-	-	-	-
950	38	965.20	-	*7.92	-	-	-	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
1000	40	1016.00	-	*7.92	-	-	-	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
1050	42	1066.80	-	*7.92	-	-	-	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
1100	44	1117.60	-	*7.92	-	-	-	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
1150	46	1168.40	-	*7.92	-	-	-	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-
1200	48	1219.20	-	*7.92	-	-	-	*9.53	9.53	-	-	12.70	12.70	-	-	-	-	-	-

注: 1. STD 表示标准重量管。

2. ×S 表示加厚管。

3. ××S 表示特厚管。

4. ≤ DN250 的管子, SCH40 相当于 STD 管; ≤ DN200 的管子, SCH80 相当于 ×S 管。

企业文化

质量至上

循序渐进

相互信任

事事谋求生存和发展

Quality first

Step by step

Mutual trust

To seek survival and development



INTERNATIONAL

国际化发展趋势



随着船舶、石油化工、电力等行业对制造设备质量的要求不断提升，未来对工业金属管件的需求将向着高科技含量的方向发展。除了船舶、石油化工继续保持对工业金属管件旺盛需求外，大口径管件、新型复合材料管件、特殊标准管件、特殊材料管件、标准化管系模块、船用（含海工）管系都将成为工业金属管件行业的亮点。

With the continuous improvement of manufacturing equipment quality requirements in shipbuilding, petrochemical, electric power and other industries, the future demand for industrial metal pipe fittings will develop towards the direction of high-tech content.

In addition to shipbuilding the petrochemical industry continues to maintain the strong demand for industrial metal pipe fittings; large diameter pipe fittings, new composite material pipe fittings, special standard pipe fittings, special material pipe fittings, standardized pipe module, Marine (including Marine engineering) piping systems will become the focus of the industrial metal pipe fitting industry.



LONGSHAN
PIPE SOLUTIONS

Address: No.308, Chengzhang Road, Binjiang Development Zone,
Jiangyin City (Jiangyin Textile Market West Side 200 Meters)
地址: 江阴市滨江开发区澄张路 308 号 (新纺织市场西侧 200m)
电话 \tel: +86-0510-86138677 86993817

销售部 \Sales Department: +86-051086133287
传真号 \Fax: +86-051086132548
邮箱 \E-mail: info@longshanpiping.com

外贸部 \Overseas Business Department
电话 \Tel: +86-0510-86997580
传真 \Fax: +86-0510-86997709
